

Technical Data Sheet

Divinol Bio*-Chain Oil RF

Product description

Rapidly biodegradable, semi-synthetic high-performance saw-chain oil with protection against gumming. With this new development, a significantly higher minimum durability of 7 years can be guaranteed.

Divinol Bio*-Chain Oil RF is characterized by the following features:

- with protection against gumming
- best wear protection
- optimum adhesion properties
- economical consumption
- clear colour, no unattractive stains in visible sections, i.e. when sawing wooden beams for timber structures
- pleasant odour
- minimum durability 7 years (by correct storage!)

* = The word "bio" refers to biodegradability according to OECD 301 F.
The limit according to OECD 301 F was achieved within 28 days.

Characteristics

Colour / DIN ISO 2049:	lighter 3.5
Viscosity/40°C / ASTM D 7042 :	100 mm ² /s
Viscosity/100°C / ASTM D 7042 :	13.5 mm ² /s
Viscosity index / ASTM D 2270 :	135
Density/15°C / DIN EN ISO 12185:	920 kg/m ³
Pour point / DIN ISO 3016:	≤ -36 °C
Biodegradability / OECD 301:	> 60 %
Flash point (Cleveland) / DIN ISO 2592:	≥ 140 °C

26160

04/2017-26160-3

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

1 / 2

Technical Data Sheet

Divinol Bio*-Chain Oil RF

Application

Due to high performance reserves, an optimum full greasing is guaranteed in summer and winter even under difficult application conditions.

Divinol Bio*-Chain Oil RF is ideal for lubricating high performance chain saws of all types.

For cleaning chain saws we recommend Divinol Gerätereiniger Forte.

26160

04/2017-26160-3

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

2 / 2