

Technical Data Sheet

Divinol Synthogear 75W-90

Product description

Divinol Synthogear 75W-90 is a semisynthetic gear lubricant oil made on the basis of synthetic base oils. Divinol Synthogear 75W-90 be used for auxiliary, transaxles and hypoid gear oils in which API GL-5 is necessary or in manual transmissions where API GL-4 is necessary. The formulation of special EP and other additives lead to the following characteristics:

- very strong protection against the formation of rust, corrosion and foam
- low pour point
- excellent EP characteristics
- easy shifting properties even at low temperatures
- excellent load carrying capacity
- very good aging resistance
- excellent oxidation stability
- not aggressive to non ferrous materials (copper etc.)

Specification

API GL 4 / GL 5 (MT-1); MIL-L 2105D/PRF-2105E

Manufacturer performance

Arvin Meritor 0-76-N; DAF (GL-5); Iveco (GL-5); MAN 341 Z2; MAN 341 E2, MAN 342 M2; MB-Approval 235.0; Mack GO-J; Scania STO 1:0; ZF TE ML 02B/05A/07A/08/12E/16B/16C/16D/17B/19B/21A; suitable for VW 501.50 (G50)

Characteristics

SAE Grade:	75W-90
Appearance:	clear
Colour / DIN ISO 2049:	L 2,0
Viscosity/40°C / ASTM D 7042 :	110 mm ² /s
Viscosity/100°C / ASTM D 7042 :	15 mm ² /s

52010

04/2017-52010-17

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

1 / 2

Technical Data Sheet

Divinol Synthogear 75W-90

Viscosity index / ASTM D 2270 :	145
Density/15°C / DIN EN ISO 12185:	880 kg/m ³
Pour point / DIN ISO 3016:	<-40 °C
Flash point (Cleveland) / DIN ISO 2592:	> 190 °C

Application

Divinol Synthogear 75W-90 is for extremely heavily loaded vehicle gearboxes and further gearboxes where the EP properties are required.

52010

04/2017-52010-17

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

2 / 2