DT - 5046

Product Information

Radiator Oil Cleaner 2-components

Produktinformation

K1+K2 Radiator Oil Cleaner 2-components



Product properties:

Radiator Oil Cleaner reliably cleans the entire cooling system and durably removes oily deposits caused by defect cylinder head gaskets or leaking radiators. Other operationally caused contamination, e.g. coolant sludge, lime, scale will be dissolved and removed as well. Due to high quality lubrication agents, all metal and rubber parts are protected during the cleaning process. Valves, thermostats and water pumps return to their optimal performance, thus optimising operating safety and increasing the lifespan of the cooling system.







application Area

Application

Consumption

Reaction time

Cooling system cleaner for all closed water cooling systems and also suitable for heat exchangers. Mixed with all conventional coolants.

Shake cans well before use! Add the complete content of both bottles (K1+K2) into the cooling system. Open the heating valve. Let the engine run for approx. 15 minutes at midrange speed to reach the optimal operation temperature. Drain the coolant afterwards. Please remove all expansion tanks wich are not part of the coolant circuit and clean them manually. Afterwards rinse theentire cooling system thoroughly with clear water. Finally carry out the exchange of the coolant in accordance to the manufacturer's instructions. Radiator Oil Cleaner (K1+K2) is sufficient to treat cooling systems of 5 to 10 litres capacity.

300 ml for 5-10 ltr. capacity Components

ca. 15 min.

Physical state: liquid Colour: yellow **Odour: odourless** pH-Value (at 68 °F): 0-1 Melting point: < 0 °C

Initial boiling point and boiling range: > 100 °C

Density at 68 °F: 1,07 g/cm3

Water soluble

Diatec International Gmbh Website: www.dticc.co Neukollner Str 203 - 12357 Berlin Email: info@dticc.com TEL: 0049177588641 / 00493098539728

Website: www.dticc.com





Technical data

Available size 1L 5L 10L 25L 200L

300 ml

Our information is based on careful examination and may be considered as reliable. However, allinformation supplied is a non-binding advise. No liability for printing errors, technical modifications and errors excepted.