DT-4146 Diesel Power Additive 3in1

Product Information

Produktinformation

Diesel Power Additive



Product properties

This multi-purpose additive contains a combination of combustion and flow improvers with an antibacterial effect. The product provides advanced cleaning properties, increase in the cetane number, reduced fuel consumption and lubrication of all moving parts of the Diesel combustion system while significantly reducing excess carbon build-up "keep-clean-effect". A constant and powerful combustion is thus guaranteed. Especially recommended for lower quality fuels. Keeps diesel flow-able up to -30°C (depending on diesel quality). Cold start performance is improved significantly all-year-round and operational reliability is ensured during winter. Biocide properties enable the safe elimination of bacteria, fungi and algae in the fuel tank and prevents regeneration.

Thus any blockage of the fuel filter is prevented.



application Area

Suitable for all diesel fuels and engines, such as common rail or direct injection.





ATTENTION: Restricted to professional users!

The product should be added to the diesel fuel tank before refueling. For anti-gel effect during winter add product when fuel temperatures are above 0 ° C before refueling. Observe the mixing ratio!



Consumption

Diesel Power

300ml treats up to 80 liters diesel. Mix Ratio 1:200



Reaction time

while engine is running



Technical data

Physical state: liquid Colour: clear/colourless

Odour: aromatic

Initial boiling point and boiling range: 180 - 210 °C

Flashpoint: > 63 °C

Density at 68 °F: 0.87 g/cm3



300 ml



Diatec International Gmbh Website: www.dticc.com Neukollner Str 203 - 12357 Berlin Email: info@dticc.com TEL: 0049177588641 / 00493098539728



Our information is based on careful examination and may be considered as reliable. However, all information supplied is a non-binding advise. No liability for printing errors, technical modifications and errors excepted.

