

Technical Data Sheet

Divinol Multitrac 15W-30

Product description

Mineral high performance STOU lubricant for universal use in engines, gears, hydraulic as well as for „wet“ brakes of tractors and construction machines.

Specification

API CE-4/SF; API GL-4; ACEA E2; HVLP (DIN 51524 Part 2/3); STOU / UTTO

Manufacturer performance

Allison C4; Caterpillar TO-2; FIAT AF 87; Steyr 397 88001; MF CMS M 1127 / 1139 / 1144 / 1145; John Deere JDM J20C / JDM J27; IHC B6; Ford-New Holland 024C / 324B / 410B / 420A / 540B; Ford ESN-M2C-41B / -86B&C / -121E / -134D / -159C; ZF TE-ML 06B/07B; JI Case MS 1118/1209; MB-Approval 227.1/228.1; Fendt; MAN 271; Valtra Super; Deutz DQC I-02; ZF TE ML 06B/07B

Characteristics

SAE Grade:	15W-30
Colour / DIN ISO 2049:	L 4,0
Viscosity/40°C / ASTM D 7042 :	60 mm ² /s
Viscosity/100°C / ASTM D 7042 :	9.6 mm ² /s
Viscosity index / ASTM D 2270 :	140
Density/15°C / DIN EN ISO 12185:	875 kg/m ³
Pour point / DIN ISO 3016:	-35 °C
Flash point (Cleveland) / DIN ISO 2592:	220 °C

Application

Super Tractor Oil Universal (STOU) for the universal usage in engines, gears and hydraulic of tractors and construction machines. Due to the special alloyed formulation the highest demands of international tractor and

51860

06/2017-51860-6

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

1 / 2

Technical Data Sheet

Divinol Multitrac 15W-30

construction machine manufacturers regarding performance can be fulfilled.

51860

06/2017-51860-6

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

2 / 2